



# GREEN FARMING

Vol. 4 [ Issues 1-6 (Bi-monthly), January to December 2013 ]

(Contents list available at [www.greenfarming.in](http://www.greenfarming.in))

## KEYWORDS INDEX

### **A**

2,4-D Na salt	123	Berry stem necrosis	464	Chemical analysis	373, 520
Accession	670	Better-parent	556	Chemical composition	631
Acid soils	247	Bioagents	96, 388, 805	Chemical fertilizer	173
Acid sulphate soils	568	Biochemical attributes & diets	383	Chickpea	125, 245
Acidity	84	Biochemical evaluation	221	Chilli	322, 728
Additive & non-additive gene actions	561	Biochemical properties	705	Chilli genotypes	783
Adoption	229, 535, 656	Biocontrol agents	753	Chilli hybrid	532
Aerobic paddy	577	Biofertilizers	472	Chips	1
Aerobic rice	594	Biological yield	449	Chloro mepiquat chloride	40, 355
Aeroponics technology	676	Biomass	303	Chlorophyll stability index	427
AFeOX-Zn	24, 571	Biometric observations	121	Chlorpyrifos	185
Agro-ecological situations	343, 480	Biometrical characters	245	Choloropyll	62
Agronomical practices	143	Bio-phos	37	<i>Cicer arietinum</i>	245
AI Technique	535	Bio-priming	489, 753	<i>Cinnamomum tamala</i>	87
Air tight container	99	Bioregulators	797	<i>Citrus aurantifolia</i>	797
Alfisols	597	Blackgram	166, 395	<i>Citrus iyo</i>	1
Alkaline soil	452	Blue oyster mushroom	236	<i>Citrus limon</i>	84
<i>Allium cepa</i>	29, 72, 786	<i>Bombyx mori</i>	523	<i>Citrus reticulata</i>	737
<i>Allium sativum</i>	548	Bore well water	203	Climate change	776
Allontoin	705	Boron	52, 197	Climatic variability	251
Alphonso mango	58, 616	Bread wheat	541	Cluster analysis	19
Alternaria blight	388	Breakage	217	Cluster pattern	764
<i>Alternaria sesami</i>	647	Breeding	395	Clusterbean	200, 229, 480
<i>Alternaria solani</i>	239	Breeding management	535	Clusters	464
Alu fruits	660	Brinjal	147	Coccinellied predators	643
AM root colonization	203	Brinjal grafts	361	Coconut	608
Ambient condition	631	Briquettes	455	Coconut fronds	597
Amelioration	143	Broiler	106, 110, 383	Cocopeat	364
<i>Amomum subulatum</i>	670	<i>Bt</i> cotton	40, 355, 746	Coefficient of variability	7
Amrutpani	322	Bud pollination	177	Coffee leaf rust	807
Amylose	221	Budfly resistance	15	Coir pith	597
<i>Anogeissus latifolia</i>	552	Buds	624	Cold arids	637
Anthocyanin	803	Bulk density	132	Collar rot	805
<i>Aonla</i>	96, 472	<b>C</b>		<i>Colletotrichum gloeosporioides</i>	386
<i>Aonla</i> fruit juice	233	C:B ratio	496	<i>Colletotrichum lagenarium</i>	493
<i>Aonla</i> preserve	80	Cabinet dryer	376	Combining ability	253, 258, 405, 412, 561
<i>Arachis hypogaea</i>	52, 163, 197, 400, 716, 809	Cabinet drying	513	Communication gap	229
Arid zone	229	<i>CaCO<sub>3</sub></i>	330	Composite variety	421
Aromatic rice	221, 349, 412	<i>Cajanus cajan</i>	7, 370, 679	Constraints in communication	229
Ascorbic acid	84, 181, 611	Calcium saturation	247	Contamination	756
Ash gourd	424	Candy	800	Contingency planning	656
<i>Ashwagandha</i>	194, 586	Capacity utilization	116	Conventional hybridization	177
<i>Atherigona soccata</i> Rond	640	Capsicum	627	Conventional jowar straw	741
Auxillary bud	620	<i>Capsicum annuum</i>	634, 728, 783	Cooling system	502
Available micronutrient status	137	Carbohydrates	62	Correlation	7, 147, 166, 181, 395, 409, 415,
Available N, P, K, S,	443	CARB-Zn	24, 571		
Available P	666	<i>Carica papaya</i>	103		
<i>Azospirillum</i>	577, 728	Carrot	631		
<i>Azospirillum</i> and PSB	472	Carrot-beetroot	631		
Azotobacter	472, 475	Castor	37		

### **B**

Baby corn	11	Cationic equilibrium	608	Correlation co-efficient	160, 663
Bacterial wilt	207	Cereal-legume intercropping	565	Cost economics	361
Banana	509	CFE-OX-Zn	24, 571	Cost of feeding	741
Bell pepper	634	CFP (Crude protein per cent)	590	Cotton	210, 214, 313, 526, 581, 668
Benefit cost ratio	565, 590, 773	CFY (Crude fibre yield)	590	Cotton equivalent yield	773
		<i>Chaetomium globosum</i>	37	Cotton growers	113
		Characteristics	737		
		Characteristics of effluents	326		
		Characterization	276		

Cow milk	393	<b>E</b>	Fruit preserves	611
Cowpea	303	Ear head length	Fruit setting	58
CPP (Crude protein per cent)	590	Early blight	Fruit yield and quality	58, 468, 634
CPY (Crude protein yield)	590	Early kharif	Fruitfulness	624
Creditability ranking	229	Ece	Fungicides	388, 647, 650,
Critical limit	452, 458, 666	Economic efficiency	805	
Critical limit of Iron	298	Economic traits	Fungicides treatment	96
Croiler and culled birds	110	Economics	FYM	322, 526, 586,
Crop production technology	656			786
Crop productivity	271, 505			
Crop residue	322	Eggplant	<b>G</b>	
Cropping system	308, 581, 711	<i>Eichhornia crassipes</i>	Gall index	190
Cucumber	364, 489	<i>Eleusine coracana</i>	Gamma rays	391
<i>Cucumis melo</i>	181, 764	Emasculation	Garlic	548
<i>Cucumis sativus</i>	364	<i>Embllica officinalis</i>	Garlic extract	388
Cultivars	749	EMS	GCA & SCA variances	253
Curryleaf	805	Energy requirements	GCA and SCA effects	412
<i>Cyamopsis tetragonoloba</i>	229, 480	Environments	Genetic & phenotypic	
Cytoplasmic-nuclear male-sterility		Enzymatic activity	correlation	156
system	262	ESP	Genetic advance	160, 163, 548,
		Ethyl acetate extract		789
		Ethylene gas	Genetic analysis	15
		ETL	Genetic associations	156
		European carrot	Genetic divergence	427, 783
		Evaluation	Genetic diversity	152, 640, 764
		Exchangeable Ca and Mg	Genetic variability	119, 160, 166,
				267, 400, 409,
				415, 418, 548
<b>D</b>		<b>F</b>	Genotype category	245
D <sup>2</sup> analysis	19, 783	Farm women	Genotypes	684
D <sup>2</sup> statistics	764	Farming systems	Genotypic & phenotypic	663, 700
Dairy animal	535	Fat corrected milk	Genotypic & phyenotypic	
Dairy farming	379	Feed additive	coefficients	418, 430
<i>Dasyneura lini</i>	556, 643	Feed conversion efficiencies	Genotypic correlation	716
Data envelopment analysis	113	Feeding practices	735	
Dates of planting	349	Fennel	Germination	367, 483
<i>Daucus carota</i>	486	Fenugreek	Germination parameters	770
Deccan plateau	169	Fertigation	Germplasm	147, 670
Decorticator	499	Fertigation levels	GFY (Green forage yield)	590
Defoliant	668	Fertility	Gherkin	753
Dehydration	660	Fertility characteristics	<i>Glori lily</i>	391, 600
Delineation	458	Fertility status	<i>Gloriosa superba</i>	600
DES	391	Fertilizer consumption	<i>Glycine max</i>	76, 653
Descriptors	749	Fertilizer levels	Glyphosate	123
De-topping	355	Fertilizer use efficiency	Glyricidia	322
DFY (Dry forage yield)	590	<i>Ficus carica</i>	Goat keepers	224
<i>Dharani</i>	446	Fig milk-shake	<i>Gossypium hirsutum</i>	427, 773
Diallel mating design	424	Fig powder	Grain maturity stage	11
Diameter class	552	Filled grains	Grain quality	733
Different growth stages	52	Finger millet	Grain yield	46, 455, 496,
Differentiation	624	Flag leaf		541
Diploid & Tetraploid pistils	809	Flat bed	Grain yield & quality traits	412
Direct and indirect effect	166, 267	Flowable thiram	Gram pod borer	125
Disease free crops	676	Flowering	Grape squash	611
Disease resistance	400	Fluorescence microscopy	Grape wine	464
Diversity	19, 418	Flyash	Grapevine	624
<i>Drechslera maydis</i>	650	Fodder	Green chilli yield	728
Dressed weight	110	Fodder quality	Green fodder yield	605
Drip irrigation	33	Foliar analysis	Green manures	303
Dropp ultra	668	Foliar spray	Greengram	303
Drought stress	143	Frequency	Greenhouses gases	251
Drought tolerance	427	Frequency distribution	Greeshma	446
Drumstick	513	Fruit beverages	Gross protein efficiency	741
Dry sugar	528	Fruit fly	Ground water recharge	505
Dry weight	634	Fruit growth	Groundnut	52, 163, 287,
Drying kinetics	103	Fruit maturity		716, 809
Drying methods	660			
Dryland	46			
DTPA extractable micronutrients	452			
DTPA-available zinc	24, 52, 571			
DTPA-extractable iron	298			

Groundnut genotypes	400	<b>J</b>	Maturity	663	
Groundnut varieties	446	Jaggery storage	99	Maximum water holding capacity	132
Growth & yield attributes	271, 282, 317, 370	Jamun fruit	373	MBC-2	421
Growth & yield parameters	66, 349, 627	Jeevamrut	322	Mean performance	700
Growth parameters	317, 343, 367, 455, 475, 786	Juice recovery	373, 520	Medicinal plants	676
Growth performance	224, 770	<b>K</b>	<i>Meloidogyne incognita</i>	190	
Growth rate	722	Kabuli chickpea	267	Melon	181
Growth stages	236, 346	Kagzi lime	797	Methanolic extract	87
Guava genotypes	663, 770	Kapas yield	746	Methionine	221
Guinea grass	605	Karonda fruit	520	Micro and macronutrients	733
Gypsum	526	Kilning period	249	Microbial count	55
<b>H</b>		KMnO <sub>4</sub>	616	Microbial diversity & population	203
Half sib progeny selection	421	Kuttanad	568	Microbial inoculants	577
Hardening	620	<b>L</b>	Micronutrients	326, 458	
HDPE bags	338	L/B ratio	221	Mid-parent	556
Health drink	803	Lactation stage	393	Milk yield	741
Heat treatment	611	Land configuration	287	Mineral nutrition	464, 513
<i>Helicoverpa armigera</i>	125	Land equivalent ratio	565, 773	MnOX-Zn	24, 571
<i>Hemileia vastatrix</i>	807	Land evaluation	169	Moisture content	62, 499
Herbicides	653	Large cardamom	670	Monitoring	756
Heritability	160, 548, 789	Lateritic soil	334, 689	<i>Moringa oleifera</i>	513, 789
Heterobeltiosis	537, 767	LDPE bags	338	Morphological & pathogenic variability	239
Heterosis	537, 556, 561	Leaf blight	650	Morphological & qualitative characters	749
Heterosis and yield characters	424	Leaf spot	647	Morphological traits	156
Hexane extract	87	Lime requirement	247	<i>Morus</i>	803
High productivity	676	Line x Tester analysis	253, 258, 412, 556	MS Media	620
Hill agriculture	251	Linseed	15, 352, 405, 409, 415	Mulberry fruits	803
Horticultural characters	486	Linseed budfly	496	Mulberry genotypes	523
Horticultural produce storage	502, 637	Linseed oil content	496	Mulberry leaf quality	62
Hurdle technology	517	Linseed pests	643	Mulberry varieties	203, 475
Hybrid parent	262	<i>Linum usitatissimum</i>	15, 409, 415, 556	Mulch and economics	322
Hybrid rice	92, 258, 761	Little gourd	493	Mulching	69, 597
Hybrid seed production	177	Long term fertilizer experiment	608	Multivariate analysis	352
Hybrid vigour	177, 258	Low cost drip	33	<i>Murrabba</i>	80
Hybrids	308, 418, 461, 679	<i>Lycopersicon esculentum</i>	177	Musi command area	780
Hyper arid region	143	Lynx sp	643	Muskmelon	764
<i>Hypsizygus ulmarius</i>	236	Lysine	221	Mustard	308
<b>I</b>		<b>M</b>	Mustard cake	190	
Imidacloprid	214	Macronutrients & micronutrients	334	Mutants	391
Imidacloprid and chlorantraniliprole	185	<i>Madhuri</i>	537	<b>N</b>	
Improvement	395	Maize	11, 200, 418, 597, 650	N and K <sub>2</sub> O levels	684
In vitro	620	Maize equivalent yield	565	N P K uptake	780
Inbreds lines	418	<i>Makhana</i>	271	NAA	627
Incidence	125	Male sterile line	767	Nagpur region	722
Incubation method	247	Malt beverage	249	Nectar	631
Indigenous herbal drug	106, 383	Malting process	249	Neem botanicals	388
Information channels & sources	229	Management practices	251	Neem formulations	496
INM	127, 271, 282, 349, 358, 449	Management systems	66, 346	Net income	809
Inorganic manures	313	Mandarin orange	737	Net protein efficiency	741
Insecticidal properties	242	<i>Mangifera indica</i>	58, 616	Net-house	190
Integration of makhana-cum-fish culture	127	Mango	334, 517, 530, 616	New alluvial zone	69
Intercropping	200, 313, 773	<i>Manilkara achras</i>	468, 800	Neyyattinkara series	608
Iron	330, 577	Manurial liquids	55	Nitrogen levels	433, 594
Irrigation	262, 370, 438, 695	Manuring	597	Njavarai rice	66, 346
Irrigation quality	326	Marigold	388	NPK	132, 586
Irrigation water requirement	776	Marking nut	367	NPK uptake	173
				NSKE	496
				Nutrient removal	72
				Nutrient sources	66
				Nutrient uptake	455, 600, 605

Nutritional quality	689	Performance parameters	224	Pruning effect	58
Nutritive value	393	Pest incidence	523	PSB	577
Nuts	271	Pesticide residues	756	<i>Pseudomonas</i>	489, 792
<b>O</b>					
O/L ratio	400	Phenological development	346	<i>Psidium guajava</i>	663
Oat genotypes	749	Phenotypic & genotypic correlation	267	Pulses	483
OC-Zn	24, 571	Phenotypic characteristics	224	<i>Punica granatum</i>	33
Oil & groundnut	197	Phenotypic correlation	700, 716	PWP	207
Oil per cent & yield	69	Phosphobacteria	728	<i>Pythium</i>	489
Oil yield	449	Phosphorus & Zinc fertilization	317	<b>Q</b>	
Okra	358	Phosphorus level	37, 433	Quality	84, 271
Omega-3 & Omega-6 fatty acid	415	Physico-chemical properties	99, 123, 137, 169, 298, 393, 458, 689	Quality of mustard	438
Omega-3 fatty acid	352			Quantitative traits	253
Onion	786			<b>R</b>	
Onion bulb yield	72	Physico-nutritional characters	233	<i>Rabi</i>	294
Onion sets	29	Physiological attributes	163, 532	<i>Rabi sorghum</i>	46
Orchard	1	Phytobiomass	303	Rachis	464
Organic & inorganic nutrients	600	Pigeonpea	7, 262, 370	Rainfed	475
Organic amendments	190	<i>Pisum sativum</i>	119	<i>Ralstonia solanacearum</i>	207
Organic liquid manures	282	Plant defense enzymes	489	Rapeseed	287
Organic manures and inorganic fertilizers	194	Plant density	355	<i>Rauvolfia serpentina</i>	386
Organic solutions	322	Plant extract	647, 805	Recipe	80
Organics	313	Plant growth parameters	119	Recurrent selection	15
Organoleptic evaluation	373, 509, 520	Plant spacing	262, 361	Refrigerated storage	338
Organoleptic qualities	528	Planting density	29	Relationship of characters	737
Oriental prickling melon	291	Planting technique	809	Relative heterosis	767
<i>Oryza sativa</i>	66, 92, 116, 152, 160, 258, 733	Planting time	29	Relative water content	427
Osmodehydration	528	Plants extract	96	Replant problem	792
Osmotic dehydration	103	Plateau yield	666	Residue management	287
Output energy	581	PMC	526	Resistance	640
Oxyfluorfen	72	Pod yield	446	Resistant genotypes	207
<b>P</b>					
Packaging materials	513	Polykote	210	RES-Zn	24, 571
Paddy	776	Polymer coating	214	Return	308
Paddy processing	116	Polythene mulching	634	<i>Rhizosphere</i>	792
<i>Panicum maximum</i>	605	Pomegranate	33	<i>Rhizosphere soil</i>	203
Papaya	103	Population and segregation	395	Rice	169, 455, 711
Paraquat	123	Post harvest	600	Rice genotypes	152
Parents and hybrid	716	Potassium	121, 433	Rice protein	221
<i>Parthenium hysterophorus</i>	242	Potassium dynamics	608	Rice straw	761
Participation	379	Potassium fractions	608	Rice yields	780
Path analysis	7, 415	Potassium metabisulphite	611	Rice-growing soils	276
Path coefficient analysis	147, 156, 700	Potassium sorbet	517	Rice-wheat system	173
PBN	624	Potato hybrids	430	<i>Ricinus communis</i>	37
Pea genotypes	119	Powdery mildew	291	Ridges and furrow	43
Pearl millet	49, 143, 421, 433	Power operated thresher	217	RIL populations	400
Peas	338	POX	541	Ripening pattern	509
Pectin coating	338	Preservatives	800	Root yield	194, 586, 684
Pedicel	464	Pre-soaking treatments	530	<i>Rosa indica</i>	121
Peer count summary	113	Pricking methods	80	Rose	121
<i>Penicillium fellutanum</i>	96	Production performance and diets	106	Row arrangements	200
<i>Pennisetum glaucum</i>	49, 143, 421, 767	Production potential	480	Row ratio	262
Per cent relative yield	666	Productivity	287, 400, 594	RSC	330
Per se performance	49	Productivity of major crops	722	RTS beverages	233
Percentage of fruit set	177	Protected cultivation	121	<b>S</b>	
Performance evaluation	499	Protein content	197	<i>Saccharomyces</i>	386
		Proximate analysis	517	Safflower	69, 303, 449
				Salt treatments	660
				Sandy Loam	52, 197
				Sapota	468, 528, 800
				Sapota candy	800

<i>Sarpagandha</i>	386	Soybean	76, 653, 666
Scaling technique	245	Spacing	40, 370
<i>Sclerotia rolfsii</i>	805	Spacing & pruning	627
Seasonal incidence	643	Specific leaf area	427
Secoisolariciresinol diglucoside	352	Specific leaf weight	427
Seed and stover yield of mustard	438, 695	Spikelet sterility	761
Seed coating	214	Spinach	637
Seed emergence	364	<i>Spodoptera littoralis</i>	185
Seed germination	242	Spore germination	87
Seed inoculation	37	Sporulation	493
Seed priming	364	Stability parameters	49
Seed protectent	242	Standard heterosis	537, 767
Seed treatment	92	Storability	92
Seed vigour index	242	Storage	84, 631
Seed yield	69, 303, 653	Straw yield	46
Seedless lemon	84	Sub culture	620
Seedling development	679	<i>Subabul</i>	761
Seedling dry weight	92	Substrate mixture	753
Seedling growth	367, 483	Sucking pests	214
Seedling vigour	753	Sucrose solution	517
Sensor	509	Sugar 75	537
Sensory attributes	803	Sugarbeet	282
Sensory evaluation	517	Suitability model	169
Sensory parameters	376	Sulphur	438, 695
Sensory quality	233	Sun drying	513
Sequential application of herbicides	76, 746	Sunflower seeds	499
Sesame	132, 561	Sunnhemp	303
<i>Sesamum indicum</i>	561, 647	Surface sterilization	620
Sewage water	203, 483, 672	Survivability	483
Shelf life	338, 616	Survival percentage	770
Shootfly	640	Sweet corn	43, 650, 809
Sigmoidal	1	Synthetic irrigation water	330
Silica	185	<i>Syzygium cumini</i>	620
Site specific	251		
SO <sub>4</sub> <sup>2-</sup> -S retention in soil	695	<b>T</b>	
Socio economic consequences	656	<i>Tagetes erecta</i>	388
Socio-personal profile	379	Taxonomic lineage	400
SOD	541	Tebuconazole and	
Sodic vertisol	526	phytotoxicity	807
Softwood grafting	530	Technical efficiency	113
Soil acidity	608	Temperature levels	236
Soil and water characterization	127	Thiourea	480
Soil chemical properties	443	Threshing efficiency	217
Soil compaction	438, 695	Threshold yield	666
Soil fertility	132, 737	Tillage practices	581
Soil health	55, 287, 672	Times of sowing	446
Soil horizons	452	Tomato	177, 207, 239,
Soil management practices	62		461
Soil moisture	132, 287	Top yield	684
Soil nutrient	600, 737	Total carbon	1
Soil properties	334, 672, 780	Total grain protein	733
Soil test report approach	43	Total phenol	705
Soil test value	433	Toxicant build-up	294
Soil-site characteristics	169	Transfer of technology	229
<i>Solanum melongena</i>	147	Transpiration rate	705
<i>Solanum nigrum</i>	700	<i>Trichoderma</i>	386, 489
Solid matrix	364	Trifloxystrobin	807
Sorghum	132, 249	<i>Trigonella</i>	705
<i>Sorghum bicolor</i>	640	Tropical sugarbeet	684
Sources of energy	581	TwinN	46
Sowing dates	69, 125, 650	Typic haplustalf	52, 197
Sowing systems	486		
		<b>U</b>	
		Unfilled grains	761
		Upland rice	253
		Urea	43
		Urea treated soybean straw	741
		Ustochrepts	294
		<b>V</b>	
		VAM	577
		Variability	19, 722, 764
		Varieties	552, 679
		Variety	370
		Vermicompost	43, 173, 475, 586, 705
		Vertical distribution	334
		Vertisol	55
		<i>Vigna mungo</i>	166, 395
		Vigour index	92
		Vitamin C	233, 611
		<b>W</b>	
		Waste water	326
		Water	756
		Water hyacinth	123
		Water quality	123, 780
		Water soluble fertilizer	532
		Watershed and water harvesting structures	505
		WCE	72, 746
		Weed density	711
		Weed dry weight	72, 746
		Weed index	72, 746
		Weed management	200, 594, 634, 711
		Wheat	55, 137, 294, 298, 330
		Wheat genotypes	343
		Winters	637
		<i>Withania somnifera</i>	586
		WSEX-Zn	24, 571
		<b>Y</b>	
		Yield	308, 433, 663, 711, 809
		Yield & economics	132, 343
		Yield & quality	282, 486
		Yield attributes	160, 313, 317, 532, 594
		Yield components	15, 405
		Yield parameters	76, 364, 786
		Yield/ plant	46
		<b>Z</b>	
		<i>Zea mays</i>	11, 156, 418, 537
		<i>Zea mays saccharata</i>	650
		Zero energy cool chamber	502
		Zinc	197, 330, 541, 577
		Zinc leaching	571