

GREEN FARMING

Vol. 5 [Issues 1-6 (Bi-monthly), January to December 2014]

(Contents list available at www.greenfarming.in)

KEYWORDS INDEX

[illegible]

Cluster distance	206	Depression	166	F	
Clusterbean	30	Descriptors	946	F ₄ generation	734
CO ₂ concentration	333	Design expert	670	Farm broadcast	942
Coccinellid beetle	890	DGGE	577	Farm pond	681
Coefficient of variation	861, 911	Dice coefficient	577	Farm yard manure	61, 592, 615, 796
Co-integration	1117	Diclosulam	872	Farmers category	51
Colchicine	197	Different strata	547	Farming community	1153
Combining ability	166, 411, 734, 746	Digging efficiency	1142	Farming systems	1122
Command area	708, 1001	Dill seed	640, 1073	Feasibility	1153
Community structure	577	Direct and indirect effect	98	Fecundity	697, 1101
Comparative economics	499	Direct-seeded rice	46	Fenugreek	468
Competitiveness	716	Discriminant analysis	443	Fertigation	301, 583
Compost bio-enhancer	295	Discriminant function	120	Fertilizer	968
Compressive & tensile strength	451	Disease incidence	149, 898	Fertilizer levels	86, 126
Conjunctive use of water	114	Disease resistance	894	Fertilizers	20, 346
Cono weeding	872	Divergence genotypes	101	FFS	429
Conservation	1005	Diversity indices	946	Field bean	197
Conservation agriculture	705	Diversity survey	1020	Field capacity	56
Constraint in vermicompost	439	DMY	818	Filler mixture	235, 768
Consultancy & diagnosis	712	DNA extraction	533	Finger millet	283, 483, 563, 694, 742, 1030
Consumer acceptability	424	<i>Dolichos lablab</i>	197	Flower yield parameters	489
Consumer perception	120	Domestic stove	678	Flowering behaviour	547, 1012
Contour	1005, 1127	Double cross F ₂	749	Fluorescent pseudomonads	705, 1020
Cooking time	471	Double sucker planting	277	Flushing & flowering attributes	980
Copper	354	Draft	1142	Fly ash	1055
Coriander	214	Drain depth	1146	Foliar application	117, 377
Coriander genotypes	1070	Drain spacing	1146	Foliar nutrition	956
Corollary study	942	Drainage	1146	Food consumption	1001
Correlation	15, 95, 194, 329, 520, 556, 738, 742, 908	Drains	924	Food security	694
Correlation & path analysis	265, 749	Drip fertigation	123	Forage oats	1009
Cost structure	447	Drip irrigation	596	Foraging activity	723
Cotton	25, 92, 146, 190, 403, 734, 1127	Drought	510, 1034	Foxtail millet	694
Cotton genotypes	1016	Drought tolerance	25, 315	Fruit weight	665
Cotton growing soils	108	Drumstick ecosystem	905	Fruit yield	182, 898
Cotton hybrids	529	Dry matter intake	292	Fungal count	563
Cotton seed yield	890	Dry matter production	480	Fungicides	1083
Cotton-cropping systems	720	Drying	471	Furrow	1127
Cotyledonary	754	Drying temperature	675	<i>Fusarium</i> sp.	884
Cowpea	572, 1040	Dryland ecosystem	477	<i>Fusarium udum</i>	1079
Crop establishment systems	951	Drymatter	117	FYM	218, 295, 354, 634, 725, 789, 818, 962, 972, 998, 1055, 1131
Crop growth	86, 301	DSR	46		
Crop improvement	311	Durability index	670	G	
Crop production	637, 786	Dus testing	946	G x E interaction	730
Crop productivity	358, 833	E		GA ₃	177, 858
Cropping pattern	1001, 1122	Earthworm meals	499	Gall former	701
Cropping system	20, 346, 358, 725, 782, 1005	Economic performance	708	Gamma rays	1040
Crop-weed competition	283	Economics	92, 483, 492, 1131	Garden pea	660
Crude protein	818	Effectiveness	942	Garlic	159, 793, 851
<i>Cucumis callosus</i>	69	Egg load	701	Gasification	678
Cultivation practices	146	<i>Eisenia foetida</i>	499	Gasifier stove	678
Cut flower	462	Electrical conductivity	248	GBNV	286
Cut rose	854	Elephant dung	230	GCA & SCA	411, 538
Cutting force	451	<i>Eleusine coracana</i>	283	GDD	529
<i>Cyamopsis tetragonoloba</i>	30	Elite genotypes	908	Gelatinization temperature	262, 1150
		Embryogenesis	386	Gene action	166, 746
		Energy use pattern	51	General combining ability	758
		Enriched compost	725	Generation mean analysis	182
		Entomopathogen	869	Genetic & yield parameters	772
D		Entomopathogenic fungi	884	Genetic advance	104
Dairy	1122	Environments	411	Genetic diversity	206, 316, 516, 1016
DAP & KCL spray	786	Enzymatic assay	415		
Date of sowing	956, 1066	Enzyme activity	826		
Days after planting	74	Equivalent yield	1131		
DD	930	Erect group	101		
Decay per cent	844	Ethrel	129		
Decompose model	691	Ethyl methane sulphonate	1040		
Defoliators	880	Export dynamics	716		
<i>Dendrocalamus strictus</i>	398				

Genetic male sterility	524, 746	Heterosis	172, 524, 538, 746, 758, 1037	J	
Genetic parameters	398, 772	H-flume	146	Jackfruit	143
Genetic similarity	946	High frequency shoots regeneration	754	Jaggery	687
Genetic variability	104, 398, 556, 749, 861	Honeybee	241, 723	Jamarosa	1062
Genotypes	7, 206, 372, 398, 504, 533, 701, 762, 956, 1096	<i>Hordium vulgare</i>	786	<i>Jatropha curcas</i>	1076
Genotypic & phenotypic correlation	186, 194, 738	Hot air oven	675	<i>Jatropha fruit</i>	920, 1083
Genotypic & phenotypic coefficient	104, 1070	HPLC	1026	<i>Juglans regia</i>	533, 866
Geographic information system	627	HTU	529	K	
Gerbera	462, 675	Hybrid	372, 538, 772	Kalanamak rice	1044
<i>Gerbera jamesonii</i>	675	Hybrid sunflower	111	Kernel quality	866
Germination	248, 372, 504	Hydraulic conductivity	962	<i>Khakara</i>	252
Germplasm	866	Hydrogel applicator	559	<i>khariif</i> onion	815
Gibberellic acid	89, 600	Hydrogel sizes	559	<i>Kheer Mohan</i>	938
Ginning percentage	190	Hydropriming	504	KNO ₃	89
GIS	381	Hypocotyls	754	Kurtosis	1030
Gladiolus	858, 861	<i>Hypsizygus ulmarius</i>	157	Kuttanad	65
Globalization	1153	I		L	
<i>Glycaemic index</i>	252	IAA	754	<i>Lablab purpureus</i>	197
<i>Goethella asulcata</i>	701, 1105	IBA	419	Lactic acid	938
Gossypium	190	ICM practices	429	LAD	41, 74
<i>Gossypium hirsutum</i>	734	ICO	1117	LAI	41, 74
Graded levels nitrogen	210	ICTA	1117	Land use systems	801
Grain & straw yield	951, 1055	Imidacloprid	890	Land capability classification	65
Grain macro	1030	Impact	694	Land configuration	92
Grain yield	117, 333, 559, 1034	<i>In vitro</i>	768, 1076, 1086	Lasiodiopodia theobromae	415
Grand Naine	244	Inbreds genotypes	738	Late leafspot resistance	172, 329, 520
GRD	1055	Income determinants	443	Laterals	980
Green biomass	833	Independent variables	708	LC ₅₀ values	305, 902
Green manuring	61, 592, 976	Industrialization	924	LDPE bags	1138
Greenhouse	462	Infestation	1096	Leaf area	86, 583
Groat	15	Information	308, 712	Leaf nutrient content	836
Groundnut	95, 172, 329, 520, 762	Infrastructure	712	Legumes	311
Groundnut digger	1142	INM	20, 259, 277, 298, 346, 657, 793, 808, 815, 976	Lentil	1034
Growth	468, 474, 634, 716	Inorganic & organic manures	1044	Lethal dose	305
Growth & flowering	126	Inorganic nutrients	1052	<i>Leucinodes orbonalis</i>	1096
Growth & quality parameters	660	Inorganic plant nutrients	657	Life span	681
Growth & yield attributes	111, 114, 350, 572, 610, 786, 976, 1044	Inorganic production system	471	Linear regression	15
Growth & yield parameters	268, 323, 459, 543, 765, 805, 808, 851, 861, 908, 1070	Input supply	712	Lingo cellulose degraders	230
Growth & dry matter production	159	Input use	447	Lint index	190
Growth parameters	37, 123, 604, 998	Input-output	51	Liquid manures	377
Growth performance	292	Insecticides	305	Liquid organic manures	323
Growth rate	1040	<i>In-situ</i> green manuring	833	<i>Litchi</i>	1134
Grub population	701	<i>In-situ</i> Inlet soil and water conservation	681	Longevity	1101
H		Instability analysis	911	Long-term experiment	984
Hardness	938	Integrated nutrient management	435	Low temperature	1134
Hardwood cutting	419	Inter cultivation	483	Lufenuron	902
Harvesting index	89, 559	Intercropping	1131	<i>Luffa acutangula</i>	411
Hatchability	697	Intercropping system	782	Lycopene	408
Head yield	1150	Internal rate of returns	684	M	
Heat susceptibility index	166	Iron	41, 354, 812	<i>Monanthia globulifera</i>	303
Heavy metal status	274	Irrigation	640, 924, 1024	Macronutrient management	111
<i>Helicoverpa armigera</i>	495	Irrigation levels	268, 391	Maize	20, 33, 61, 210, 316, 346, 350, 354, 395, 459, 610, 777, 818, 826, 962, 1058
Herbicide	289, 604, 640, 777	Irrigation method	492	Maize hybrid	1012
Heritability	104, 520	Irrigation scheduling	793, 1009	Male bamboo	398
Heterobeltiosis	524	Isolation	1020	Male fertile lines	152
		ISSR	1016	Male sterile lines	152
		IW : CPE ratio	640, 1009		

Maleic hydrazide	600	NAA and AgNO ₃	754	Organic agriculture	1122
Malformed fruits	1105	NAR	41	Organic carbon	108, 631
Manganese	354	Natural enemies	880, 905	Organic chelation	812
Mango	140, 474, 847	Nectar & squash	143	Organic farming	471, 615, 691, 833, 887
Mango production	916	Neem cake	796	Organic jaggery	120
Mango pulp	136	Net assimilation rate	86	Organic manures	20, 33, 218, 271, 277, 298, 323, 346, 468, 657, 808, 812, 1052
Marketing	916	Net present value	684		
Marketing and market price	447	Net profit	720		
Marking-nut	643	Net return	492, 634		
Markov chain model	716	New insecticides	898		
Mass reduction	455	New York future	1117	Organic matter	37
Mean fibre length	190	Niger	908	Organic mulching	61, 483
Mechanical drying	69	Nitrate & sulphate	989	Organic sources	86
Medicinal coleus	74	Nitrate reductase	202	Organic sugarcane	
Mediculture	303	Nitrogen levels	20, 46, 350, 563, 823	cultivation	687
<i>Metarhizium anisopliae</i>	697, 884	Nitrogen management	259, 1009	Organics	30, 826
Methanolic extract	1114	Nitrogen uptake	210	Organoleptic characters	136
Methods of sowing	363	Nitrogen use efficiency	350	Organoleptic evaluation	69, 133, 140
Metribuzin	255	Non-command area	1001	Organoleptic quality	252
MGNREGA Impact study	619	Non-edible oil cakes	725	Organoleptic scores	143
MGNREGS	443	Non-irrigated	1034	<i>Oryza sativa</i>	46, 202, 337, 730
MIC	1114	Noodles	424	ORYZA2000 model	82, 333
Microalgae	623	Normal traditional cultivation	202	Osmotic dehydration	455
Microbial biomass	587	Normal traditional planting	78	Ovary culture	386
Microbial consortia	1089	NPK	836	Oyster mushroom	157
Microbial population	872	NPK uptake	92		
Micro-enterprise	439	Number of irrigations	559	P	
Micronaire value	190	Nut quality	604	<i>P. fluorescens</i>	1086
Micronutrient dynamics	984	Nutmeg	123	Paddy	592, 684, 691, 1150
Micronutrient mixture	596	Nutrient balance	368		
Micronutrient status	108	Nutrient composition	424	Paddy cultivation	429
Micronutrients	123, 274, 381, 812, 836, 1030	Nutrient content & uptake	20, 818, 993	Paddy seed storage	248
Micro-watershed	381	Nutrient enriched	1079	Paddy straw baler	684
Milk powder	934	Nutrient loss	146, 1127	<i>Palak</i>	298
Milling	1150	Nutrient management	92, 391, 459, 812	<i>Panchagavya</i>	572, 998
Mineral nutrients	218		627	Panicle	980
Minimum tillage	720	Nutrient mapping	33, 37, 111, 283, 337, 341, 350, 391, 568, 572, 592, 796, 993, 1058, 1079	Papaya	447
Modified atmosphere packing	133, 280	Nutrient uptake		Parental lines	1012
Moisture conservation practices	782			Path analysis	98, 186, 194, 329, 556, 738, 742
Moisture content	920, 1150	Nutrient use efficiency	277	Path coefficient	104
Mole drains	1146	Nutritional quality	395	Pay back period	684
Molecular diversity	516			PCA	577
Monthan	244	O		PCR based markers	1016
<i>Moringa oleifera</i>	206	<i>Ocimum tenuiflorum</i>	303	Pearl millet	789
Morphological abnormalities	1040	O/L ratio	520	Pecan nut	604
Morphological analysis	206	Off-season flowering	155	Pendimethalin	255
Morphological characters	7, 477, 533, 1096	Oil content	95, 520	<i>Pendimethalin oxyfluorfen</i>	289
Morphological descriptors	946	Oil quality	368	<i>Per se</i> performance	7
Morphological diversity	510	Okra	186, 524, 746, 749, 812	Perforation	133, 280
Morphological parameters	468, 861	Okra varieties	765	Performance parents	772
Morpho-physiological traits	316	Oleoresin	648	<i>Periyonix excavatus</i>	499
Mortality	869	Onion	152, 289, 538, 653, 998	Peroxidase activity	854
Mulching	268, 604, 777	Onion genotypes	543	PGPR's	377, 858, 1089
Mungbean	222, 956	Onion seeds	177	pH	465, 631
<i>Musa paradisiaca</i>	280	Operational cost	56	<i>Phalsa</i>	419
Musi command area	274	Opinion survey	619	Phenology	529
Muskmelon	600	Optical rotation	1073	Phenotypic & genotypic	
Mustard	241, 723	Optimization	934	variation	742
Mycorrhiza	1092	Optimum dose	989	Phenotypic index	730
<i>Mytilococcus subfasciatus</i>	305	Orange growers	308	Phosphate solubilizing	
<i>Myristica fragrans</i>	123	Organic & inorganic mulches	1048	bacteria	1, 271
		Organic & inorganic nutrient		Phosphate solubilizing	
		sources	435	microorganisms	1
				Phosphocompost	587
				Phosphorus	395, 634
N					
N, P, K and Fe levels	337				
<i>Nicotiana rustica</i>	894				
<i>Nicotiana tabacum</i>	894				
NAA	419, 858				

- Phosphorus management 222
 Photosynthesis rate 25, 30
 Phycoremediation 623
 Physical properties 643, 920
 Physico-chemical analyses 136
 Physico-chemical characteristics 244, 295, 553
 Physico-chemical parameters 108, 129, 140, 218, 226, 924
 Physiological loss weight 847
 Physiological parameters 25, 556, 887
 Phytoextract 1083
 Phytotoxic limits 274
 Pigeonpea 101, 117, 372, 403, 504, 1079
 Pine needles 587
 Pink mealybug 697
Pisum sativum 660, 993
 Planofix 37
 Plant densities 159
 Plant density 92
 Plant extracts 486
 Plant geometry 637
 Plant growth & yield parameters 377, 1089
 Plant growth promotion 1086
 Plant growth regulators 489
 Plant nutrient management 295
 Plant response 311
 Plant spacing 823
 Planting period 159, 1062
 Plantlet 386, 1076
 PLFA 577
 Plum 976, 1048
 PM 41
 PMG activity 415
 Pod and kernel traits 95
 Pod loss 1142
 Pod yield 30
 Pollen storage 235, 768
 Pollen use efficiency 235
 Pollen viability 235, 768
 Pollination treatments 241
 Pollinators 905
 Pollutants 924
 Polyhouse 462
 Polymorphism 533
 Pomegranate wine 465
 Population diversity 705
 Post-harvest storage 840
 Post-emergence herbicides 363
 Post-harvest treatments 129, 844, 1134
 Pot culture 1092
 Potassium chloride 989
 Potassium levels 840
 Potassium schoenite 989
 Potassium solubilization 1026
 Potassium sources 840
 Potential production 82
 Poultry manure 30
 Pre/post-emergence 876
 Predators 905
 Pre-treatments 244, 587
 Principle coordinate 946
 Prioritization 801
 Private extension agents 712, 1153
 Processing 916
 Production cost 720
 Production and returns 447
 Production technology 694
 Productivity 368
 Profile characteristics 308
 Profitability 1122
 Proline content 268
 Propagules 1092
 Protein content 520
 Protein yield 117
 Proximate analysis 471
 PSB 634, 789, 1131
 Pseudostem girth & height 583
 Public extension 712
 Pulsing 854
 Pumps tester 930
Punica granatum 465
 Purple blotch disease 538
- Q**
- Quality & biochemical traits 69, 408, 840, 968
 Quality attributes 657, 805, 1134
 Quality parameters 92, 298, 346, 550, 847, 972
 Quantitative characters 104, 197
 Quantitative yield parameters 241
- R**
- Radio listeners 942
 Rain water management 1005
 Rainy & summer season 765
 Rake angle 1142
 RAPD 762, 894, 1016
 RAPD markers 533
 Ratoon 271
 Raw cashewnut 911
 RCBBD 61
 RDF 41, 222, 323, 459
 Reducing sugars 665
 Reference and test food 252
 Refractive index 1073
 Regeneration of natural base 619
 Residual effect 98
 RGR 41
Rhizobium sp. 1086
 Rhizospheric strains 1020
 Rice 51, 86, 1055
 Rice crop 82, 274, 333, 833
 Rice fallow 363
 Rice genotypes 78, 730
 Rice husk 678
 Rice weeds 46
 Ridge gourd 411, 772
 Ripening 129, 140, 1138
 Rock phosphate 1, 587
 Root 754
 Root yield 391, 480, 1110
 Root-knot nematode 894
 Root-organ culture 1092
 Rotten onion 648
 RPP 323
 Runoff 146, 1127
 Rust 520
- S**
- Safflower 265, 341, 502, 568, 984
 Salicylic acid 89, 847
 Saline soil 218
 Salt stress 311
 Salt tolerant 1076
 Sampling 687
 Sapodilla 1138
 Sapota 143, 455, 1138
 Sapota cultivars 547
 Secondary metabolite 869
 Seed ageing 653
 Seed and straw yield 1009
 Seed management 429
 Seed mycoflora 149
 Seed priming 177
 Seed quality 826, 951
 Seed set 152
 Seed size 95, 372
 Seed treatment 480, 1110
 Seed variants 197
 Seed vigour index 89
 Seed yield and efficacy 876, 1066
 Seedling vigour index 177, 248, 504
 Selection 15
 Selection indices 95
 Selective herbicides 876
 Self propelled weeder 56
Semecarpus anacardium 643
 Semi-hardwood cutting 419
 Semi-spreading genotypes 101
Senna 259
 Sensory quality 471
 Sequence cropping 777
 Sequestration potential 801
 Sesame 37, 149
Sesamum indicum 37, 754
 Sewage waste water 623
 Sex expression 600
 Sex ratio 980
 Shade net 126, 419
 Shannon index 577
 Shatter index 670
 Shelf-life 104, 133, 140, 280, 377, 844, 1134, 1138
 Shoot pruning 155
 Short duration genotypes 510
 Silver nitrate 854
 Simulation 82
 Single cross F₂ 749
 Single super phosphate 1
 Skewness 1030
 Small business 439
 Smoking 129
 Soaking 1150
 Socio-economical characters 708
 Soil application 1079
 Soil carbon stock 801
 Soil characteristics 1052
 Soil chemical properties 368
 Soil enzymes 341
 Soil erosion 146
 Soil fertility 627, 833
 Soil fertility strips 210
 Soil health & vermicompost 725, 976
 Soil loss 146, 1127
 Soil microbial counts 341

Soil moisture	61, 631	T		<i>Verticillium</i> sp.	884
Soil nutrients	61, 277, 346			<i>Verticillium lecanii</i>	697
Soil organic carbon	968	Tartaric acid	938	Vertisol	381, 395, 1146
Soil properties	341, 1055, 1127	TCA	691	Vigour index	468, 653, 1086
Soil salinity	114	TDZ	754	Vitamin	687
Soil site suitability		Technical services	712	Vit-C	408
classification	65	Temperature raise	333	VMD	930
Solar drying	69	Terminal heat stress	166		
Solubilisation efficiency	230	Thelytoky	1101	W	
Somatic embryo	386	Thiourea	89		
Sorghum	451	TIBA	858	Walnut	533, 866
Sowing time	1012	Tillage	358, 610, 777	Ward's Cluster	762
Soybean	255, 341, 486, 872, 934, 984, 1146	Time of harvest	74	Waste mica	1026
Spacing	74, 126, 1062, 1066	Titrateable acidity	474	Wastewater quality	924
Spacing and economics	259	Tobacco cultivars	894	Water intake	292
SPAD values	25	Tomato	104, 657, 844, 1052	Water loss	455
Spatial variability	627	Tomato genotypes	286	Water pollutants	274
Specific combining ability	758	Tomato leaf curl	898	Water potential	25
Specific gravity	1073	Tornquist-Theil index	403	Water soluble fertilizer	117, 583, 836
Specific shearing energy	451	Tospo genus and screening	286	Water soluble nutrients	980
Spent wash	368	Total digestible nutrient	292	Water stressed	316
Spillway	681	Total factor productivity	403	Water use efficiency	492, 793
<i>Spilosoma obliqua</i>	869	Total phenols	408	WCE	876
Spinach	20, 346, 805	Toxicity	305	Weed control	255, 358, 363, 486, 483, 610, 640
<i>Spodoptera litura</i>	902	TPC	136	Weed density	358, 872
Spray drying	934	Transfer of agri-technology	942	Weed dynamics	289
Spray scanner	930	Transgressive segregants	734	Weed index	255, 872
Sprouting	271	Transplanting	51	Weed management	46, 214, 283, 289, 610
Sprouting broccoli	808	Tree-borne oilseeds	477	Weeding efficiency	56
SRI	637, 951	<i>Trichoderma</i> sp.	705, 796, 1083, 1086	Weeds control	492
SSNM	459	<i>Trichoderma viride</i>	1079	Wheat	114, 166, 218, 226, 386, 492, 559, 634
SSR	1016	<i>Trichogramma pretiosum</i>	1101	Wheat straw	292
SSR analysis	516	<i>Triticum</i> spp.	386	White fly	898
Stability parameters	730, 908	TSS	136, 143, 465, 474, 665	White prosperity	858
Stage hydrograph	146	Tuberose	268, 271	Willingness to pay	120
Stale seedbed	483	Two-tier system	1005	Winged bean	194
Standard heterosis	524			<i>Withania somnifera</i>	480, 1110
STCR	459	U		Wooden crates	847
Stem application	890			Y	
Storage	826, 1138	UC	930	Yield & quality attributes	104, 123, 222, 568, 604, 758, 968, 998, 1048, 1058, 1062
Storage behaviour	665	Ultimate cutting stress	451	Yield and economics	301, 637
<i>Subabul</i>	292	Urea	786, 972	Yield and net return	358
Substrates	157			Yield attributes	15, 41, 78, 337, 474, 486, 640, 660, 782, 796, 989, 993, 1037
Sucrose	854	V		Yield components	25, 126, 186, 194, 265, 730, 815
Sugar gain	455			Yield gap analysis	691
Sugarbeet	391	Vacuum packaging	248	YVMV disease	186
Sugarcane	381, 403, 708	Variability	502		
Sugars	143	Variation	15, 550	Z	
Sulphur	634, 648, 660, 993, 1134	Varietal evaluation	462		
Sulphur sources & levels	1058	Varietal performance	765	<i>Zea mays</i>	33, 210, 459, 738
Sulphuring	69	Varieties	372, 474	Zero till sown	363
Summer rice	637	Vase life	435, 854	Zinc	354, 395, 812
Sunflower	368, 556, 768, 880	Vegetative & floral parameters	858		
Sunflower head straw	292	Vegetative growth parameters	489		
Supercritical CO ₂ extraction	648	Vegetative growth parameters	1110		
Survey & biology	1105	Ventilation	1138		
Sustainability value index	214	Vermicompost	33, 41, 222, 230, 295, 377, 435, 439, 615, 634, 796, 805, 815, 972, 976		
Sustainability yield index	214				
Sweet corn	98, 323, 596	Vermiculite	1026		
Sweet orange	308	Vernonia	1066		
Sweet pepper	1037				
Synchronization	1012				
Syrup	665				
System of Rice Intensification	78, 202				
System productivity	725				