



GREEN FARMING

Vol. 10 [Issues 1-6 (Bi-monthly), January to December 2019]

(Contents list available at www.greenfarming.in)

KEYWORDS INDEX

1-MCP and KMnO ₄	41	<i>Begomovirus</i>	57	Carbon sequestration	35
1-Methylcyclopropene	463	Belt conveyor	643	Carbon source	696
A		Benzyladenine	272	Carotenoids	457
Accessions	222	<i>Bhindi</i>	62, 496	Castor cake	479
ACGR	72	Bio-fertigation	446	Castor seed	738
Acidity	567	Bioagents	626	Categorization	81
Acreage response	72	Biochar	612	CEH	714
Action site	350	Bio-compost	545	CGMS based hybrids	655
Adaptability	136	Biofertilizers	446, 488	Chandler	759
Adjusted R ₂	208	Biogas slurry	626	Changed temperatures	748
Adoption	630, 661	Bioinoculants	527	Characterization of	62
Aerobic rice	27, 530	Biometric observations	626	organic nano NPK	
Agro waste material	609	Bioneem	763	Chelating agent	350
Agroforestry	35, 696	Bio-NPK	234	Chickpea	72
AIC	752	Bio-regulators	272	Chillies	108
<i>Amrasca biguttula biguttula</i>	217	Bittergourd	560	Chitosan	350
Aonla	567	Bi-voltine	652	Chlorantraniliprole	714
Aquaponics	507	Bivoltine cocoon	436, 652, 708	Chlorophyll	518
Arecanut	115	Black headed caterpillar	364	Clipping	474
ARIMA	752	Blackgram	81, 146, 243	Cluster	556
Arka Kalyan	230	Blended fertilizer rate	722	Cluster analysis	187, 208
Ascorbic acid	41, 759	Blunt edge serrated blade	742	Clusterbean	187, 591
Automatic irrigation	199	<i>Bombyx mori</i>	222	Cobb-Douglas production	738
Available soil nutrients	446	Borax	177	function	
Aybar BBM	336	Bordeaux mixture	115	Coconut	258, 364
Azotobactor	639	Boron	560, 571	Cocopeat	167
B		Botanicals	368	Cold plasma	182
B:C ratio	105, 199, 234, 571, 730	<i>Bradyrhizobium japonicum</i>	603, 690	Cold storage	457
<i>Bajra</i>	300	Bread wheat	533	Combining ability	319, 424
Bamboo	89	Brinjal	48, 763, 766	Common centro	331
Bamboo greenhouse	89	Buffalo	376	Compound growth rate	208
Banana	41, 249	Bulk density	124	Conidial germination	226
Banana juice	160	Bunch emergence	580	Conservation tillage	146
Barley crop	77	Bush pepper cutting	280	Constraints	635, 652
Basal girth & height	191	C		Consumption	300
Basal media	314	Cabbage	199	Control box	468
Base line system	668	<i>Callosobruchus theobromae</i>	118	Conventional farming	630
Battery operated	293	Callus	314	Coriander	674
		<i>Capsicum</i>	599	Correlation	401, 533, 539, 679
				Correlation & path analysis	306, 442
				Corrugated fibre boxes	457

Costs & returns	376, 514, 621	Egg amino acid	240	Fruit drop per cent	346
Cotton	500, 556, 584	Elevated CO ₂	748	Fruit rot disease (kole roga)	115
Cotton productivity	647	Employment	407, 630	Fruit set per shoot	346
Cotton stalks	360	Energetics	599	Fuel consumption	124
CPP	436, 708	Engineering properties	341	Functional leaves	580
Credit sources	93	Enriched FYM	108	Fungicides	226
Crop duration	580	Entrepreneur	98	FYM	22, 167, 177, 479, 504, 576
Crop fields	368	Enzymatic clarification	160		
Crop growth rate	27	Enzyme activity	714	G	
Crop residue	414	Eriophyid mite	364	G x E interaction	136
Cropping practices	336	Escherichia coli	182	GA ₃ (Gibberellic acid)	474, 571
Cropping system	22	Explants type	314	Garlic	11, 52
Crossbred cow	376	Extraction	483	GCA & SCA effects	424
Cuddy-Della Valle index	246	F		GCV	310, 533, 556
Culture & grafts	280	F Test	155	GCV & PCV	401, 442
Cytoplasmic male sterile	306	Farm households	651	Gender	635
D		Farm production diversity	651	General combining ability	253
D ² Statistics	187, 556	Farm size groups	651	Genetic advance	1 2 7 , 3 1 0 , 401, 556
Daincha	146	Farmer income	387	Genetic divergence	668
Dairy	376, 407	Farmers suicide	93	Genetic diversity	187, 533, 674
Decontamination	182	Farming system	702	Genetic parameters	401, 442
Determinant	203	Farmyard manure	599	Genetic variability	539, 616
Detopper	643	Fenugreek	551	Genotypes	57, 127, 306, 616, 674
Detoxifying enzyme	714	Fertigation	587	Geographical indication	98
DFLs	436, 708	Fertility gradient	155	Geographical Information system	354
Diallel crosses	319	Fertility mapping	17	Gerbera varieties	195
Diet diversity	651	Fertilizers	22, 500, 507		
Direct deeding	27	Fibre quality	584	Germination	331
Direct effect	545	Fibre yield	372	Ghanamrutham	661
Direct sowing	142	Field performance	742	GHG emission	696
Dodi	276	Fieldbean germplasm	118	Gibberellic acid	41
Drip irrigation	587	Finger blanching	451	GIS	17
Drudgery	635	Firmness	463	Global warming	35
Dry biomass	276	Fish amino acid	240	Golden apple snail	111
Dry herbage yield	726	Fish farmers	203	Grader	643
Dry matter accumulation	31	Floriculture economy	213	Grain quality	539
Dryland	407	Flowering	730	Grain yield	31
DSS	391	Flowering and bulb yield	488	Green manuring	545
DTPA extractable micronutrients	17, 734	Flowering parameters	136, 328	Greenhouse emission	696
E		Foliar application	191, 266	Greenhouse gases	35
Economic analysis	77, 514	Food consumption	702	Greenhouse technology	89
Economic viability	683	Food safety	182	Groundnut	102, 173, 237
Economics	530, 599	Food security	702	Growing medias	167, 195
		Forage sorghum	401	Growth	191
		Forecasting	752		
		Fresh herbage	726		

Growth & nutrients	612	management		Liquid fertilizer	626
Growth & Yield attributes	27, 62, 108, 127, 131, 177, 230, 234, 237, 240, 280, 323, 419, 474, 479, 507, 524, 527, 530, 560, 571, 591, 639, 722, 726, 730, 756	Indebtedness	93	Litchi	612
		Indian mustard	419	Little millet	679
		Indigenous plants	111	Livelihood	213, 387
		Indoor	510	Livelihood security	702
		Info crop-Wheat model	748	Livestock composition	382
		Inorganic	612	Loan	203
		Input output ratio	514	Low altitude	195
		Instability	81, 300		
		Integrated farming	521	M	
		Integrated Farming	407, 630,	MAE	249
Growth & Yield, micronutrients	142	System (IFS)	696	Maize	1, 146, 234, 414, 722
Growth analysis	173	Integrated nutrient mgmt.	258, 266	Maize varieties	7
Growth attributes	48, 167, 488, 595, 647	Intercropping systems	756	Maize-Wheat	22
		<i>Ipomoea batatas</i>	576, 595	Major cereals	246
Growth indices	545	Irrigation levels	173	Malihabad	387
Growth mustard parameters	272	Irrigation schedule	272	Malt barley	524
		Ivy gourd	616	Management practices	500
Growth parameters	85	J		Mango	98
Growth rates	81, 246, 300	Jeevamrutham	661	Manual picking	293
Growth regulators	52, 142, 230, 567	Juice	567	MAPE	208, 752
		K		Margin	621
GST	714	Karonda	483	Marker-assisted selection	430
Guava	346, 463	KCI	272	Market intermediaries	621
Guava harvesting device	293	Kernel	85	Market value	708
H		Kinnow	167	Marketing	77
Hand weeding	243	Knowledge & Marketing	652	Marketing channel	77
Heart rate	451	Konkan region	89	Mechanization	391
Height	518	Kunapajala	496	Mechatronic seed metering system	468
Herbicide	372	L		<i>Melia dubia</i>	668
Herd size	376	Land	213	Mesta	372
Heritability	102, 127, 310, 401, 556, 668	Land configuration	266	Mewado Ka Math	354
		Leaching loss	609	Micro-Watershed	
Heritability & correlation	616	Leaf	314	MFO	714
Heterosis	655	Leaf area	121, 191, 518	Microbial population	258
Hormone	314	Leaf area index	580	Micronutrient mixture	191
Husk	85	Leaf quality	222	Micronutrient status	734
Hybrid rice	253	Leafhopper	217	Micronutrients	230, 560, 567
I		<i>Leptadenia reticulata</i>	276	Milk production	376
IAA	474	Lettuce	507	Millets	300
IDIPR	203	Lettuce growth	504	Mini core	539
Impact of adoption	661	Lilium	488	Mixed farming	630
Income	407	Line x Tester	253, 424	Moisture content	341
Income and Fodder	382	Linear growth rate	208	Moisture stress conditions	31
				Moluscicide	111
				Monocot plants	510

Morphometric analysis	354	Onion supply	66	Plant height	31, 121
Mothbean	756	Operation greens	66	Plant nutrients	580
Moving averages	155	Optimization	160	Plant population	722
Mulberry	222	Organic	612	Planting dates	730
Mulching	524	Organic farming	521, 591	Planting densities	1
Mushroom	514	Organic fertilizer	102	Planting material	11, 323
N		Organic liquid manure	496	Planting method	11
Nano zinc	237	Organic manure	395, 726	Plastic mulch	173, 587
Naturally ventilated polyhouse	599	Organic matrix based slow release fertilizer	609	Plot shape	155
Neemark	763	Organic recycling	258	<i>Plutella xylostella</i>	714
Neemcake	108, 576	Ornamental	510	Pollen fertility %	655
New insecticides	217	Outdoor	510	Polybags	167
NFSM	683	P		Polyhouse	195
Nimbecidine	763	Packing methods	52	Polymorphic loci	430
Nitrogen	323	Paddy	155, 661	Polyolefin film	288
Nitrogen & Phosphorus levels	276	Paddy yield and biomass	121	Polythene covers	41
Nitrogen levels	1, 530	Paddy-groundnut crop rotation	391	Popcorn	479
Nitrogen management	395	Panchgavya	108, 504, 591	Popoulu	580
Nonlinear models	249	Passion fruit	288	Population dynamics	766
Non-thermal	182	Path analysis	401, 533, 679	Post-harvest parameters	328
NPK balance	22	Path analysis & Diversity	539	Post-harvest treatments	41
NPK contents	595	Path of productivity	584	Potassium	105
NPK ratio	500	PCV	310, 533, 556	Poultry manure	639
NPS levels	7	PCV & GCV	616	Poverty	203
Number of tillers	518	PDS	651	Powdery mildew	226
Nut yield	258	Pearl millet	284, 756	Power weeder	742
Nutrient content	284	Pearlmillet production	683	Price volatility	66
Nutrient index	17	Pedigree	430	Production & Productivity	72
Nutrient management	237, 595	Pendimethalin	243	Production and Yield	246
Nutrient status	258, 297	Pests infestation	766	Productivity	551
Nutrient uptake	22, 62, 105, 414, 419	Phosphorus	603, 690	Productivity contour map	155
Nutritional deficiency	683	Phosphorus levels	551, 718	Profitability	738
O		Photosynthetic bacteria	612	PROMs & PSB	718
Oak leaf	226	Photosynthetic efficiency	191	Protein content	284
<i>Ocimum</i>	726	PHP programming	391	Protein yield	284
Okra	217, 527, 639	<i>Phyllactinia corylea</i>	226	PSB	446, 504, 639
Olericulture	407	Physical properties	85	Pseudostem height	580
Onion	230	<i>Phytophthora meadii</i>	115	PSM	545
Onion bulb production	142	Pigeonpea	127, 266, 306, 655	Pulse beetle	118
Onion crop	208	Pineapple farmers	626	Putrescine	457
Onion demand	66	<i>Piper nigrum</i>	280	Q	
Onion detopping	643	Plant growth regulators	474	Quality & yield attributes	52
				Quality attributes	567
				Quality parameters	639
				<i>Quercus serrata</i>	226
				Quinalphos	763

R		Seed meter	468	Spatial variability	17
R ₂	249	Seed pelleting	518	Specific combining ability	253
Ragi	300	Seed priming	331	Split doses	580
Ragi varieties	341	Seed production	230	Spoilage	457
Rain water harvesting	336	Seed viability	483	Spray chrysanthemum	328
Rainfall characters	647	Seed yield	48	Stability analysis	136
RAPD markers	674	Seedling age	48	Standard heterosis	131
Rearing parameters	222	Seedling vigor	331	Sterilant	314
Recommended dose of fertilizers	240	Self pollinated	131	Storage	483
Rectangular blade	742	Sensor	199	Storage life	52
Red palm weevil	364	Sericulture	407, 436, 652, 708	Straw mulch	173
Reducing sugar	567	Servo motor	468	Strawberry	759
Remote sensing	354	Sesame	474	Submergence tolerance	430
Repellent	368	Sevai River	734	Sucking pests	766
Residual effect of INM	545	Sex ratio	730	Sugarcane	105
Resistance	714	Shadenet	280	Supaul	514
Resource use	738	Sharp edge serrated blade	742	Surface modifications	350
Resource use efficiency	146	Shelf-life	288, 463	<i>Sus scrofa</i>	368
Respiration rate	463	Shoot and Fruit borer	763, 766	Sustainable agriculture	350, 521
Response surface methodology	160	Shredder mixer	360	Sustainable land use systems	35
Rhinoceros beetle	364	Shredding plate	360	Sweet orange	587
<i>Rhizobium</i>	446, 591	Shrink wrap packaging	288	Sweet potato	576, 595
Rice	121, 177, 240, 297, 319, 424, 442, 518	SIB analysis	430	Sweet sorghum	310
Rice productivity	635	Silkworm	222	System productivity & profitability	146
Ridge gourd yellow mosaic disease	57	Silkworm rearing	436, 708	T	
Ridges and furrow	266	Sink	696	Tender coconut	85
Ripening	457	Slow release action	350	Thiourea	272
RMSE	249	Small ruminant	621	Tilapia	507
Rose	136	Smelling	368	Tillage practices	395
Roselle	372	Socio-economic	387	Time of planting	11
Rough lemon	167	Sodicity	424	Time series	752
Row spacing	530	Soil available nutrients	521	Tissue culture	323
Rubber	191	Soil fertility	521, 734	TMOP	72
S		Soil microbial biomass	446	ToLCNDV	57
Sale price	621	carbon		Tomato	131, 368, 609
Salicylic acid	457, 759	Soil moisture	124, 199, 647	Tomato leaf curl	57
Sand mix application	243	Soil moisture depletion	524	Toxicity	111
Scarification	331	Soil properties	599	Tractor	451
Screening	57	Soil pulverization	124	Tractor drawn multicrop planter	468
Seed cane	323	Soil sustainability	105	Tractor speed	360
Seed damage	118	Soil types	331	Transplanting	142
Seed germination	483	Sorghum	300, 539	TSS	567
		Sorghum genotypes	31	Tuberose enterprise	213
		Soybean	603, 690, 752	Tulsi	726
		Spacing	323, 527, 730		

U		Volume	85	Yield & quality attributes	102, 105, 195, 306, 504, 576, 759
Uptake of boron	177	Vrikshayurvedha	496	Yield attributes	7, 22, 98, 253, 319, 346, 372, 395, 584, 603, 609, 616, 679, 718
Urbanization	382	W		Yield variation	500
V		Water productivity	284	Z	
VAM	591	WCE	243	ZBNF	661
Variability	102, 127, 668	Weed dry matter	372	Zero days	483
Varieties	551	Weed management	243, 372	Zinc	395, 560
Vegetable production	89	Wheat	336, 350, 395, 718	Zinc foliar spray	1
Vegetative growth	328, 759	Wheat yield and biomass	748	Zn-B mix	297
Vermicompost	108, 167, 479, 504, 576, 591, 639	Wheel slippages	468	Zucchini	730
Vertical garden	510	Wild boar	368		
Vertical rotary plough	124	Wilt resistant rootstock	314		
Vertisol management	336	Women participation	635		
Vibration	451	WUE	647		
Victim	93	Y			
Vigour index	483	Yield	11, 213, 414, 690		

